



Sliding doors

Sapa Lift-and-Slide Door 2160



Ideal for large openings

Sapa 2160 is a lift-and-slide door with very high performance. Extremely **well insulated** and **user friendly**, it combines attractive design with durability and maximum comfort for you. The door is not just energy efficient, it's also incredibly stable and robust. It makes it possible to create **very large glass areas**. An excellent choice for both new structures and refurbishing/expansion.

Considerable energy savings

Glass-fibre reinforced polyamide strips together with PE-insulation limits heat losses in an optimum manner. Sapa 2160 is extremely well insulated which lowers total energy consumption.

Excellent performance

- EPDM-seals guarantee high air and water tightness.
- Two levels of draining ensure that Sapa 2160 fulfils class 9A/8A for water tightness.
- A door leaf depth of 70 mm permits the use of double or triple glazing with a thickness of 20 to 51 mm.
- Can be ordered as a special version with multi-point locking, safety glass and special fittings for increased burglar protection which fulfils ENV 1627, resistance class 2.

Maximum strength and durability

- The combination of a strong aluminium profile and polyamide rollers allows large door leaves, up to 3.2 m.
- The use of stainless steel rails and large corrosion resistant rollers provides good durability as well as creating a door leaf that glides easily and quietly.

Aesthetic, evolved design

- Hidden fixtures, specially designed end pieces and a slim door leaf profile give Sapa 2160 a harmonious design.
- The threshold has been designed to integrate into the floor.
- When the door has been lifted by the handle, it can be "parked" in any position. Sapa 2160 can also be complemented with a locking function for night airing.



CHOOSE VERSION

Single or double wing slide leaf.
The threshold can also be lowered into
the floor structure for maximum accessibility.

CHOOSE FITTINGS AND LOCK

Lift-slide with lockable espagnolette, four
locking points. An aluminium handle and
cylinder lock can be fitted to the inside or both
the inside and outside.

CHOOSE GLASS

Intended for double or triple glazing.

